

METHOD
RACE WHEELS
LIGHTER. STRONGER. FASTER.

— 2020 —



METHOD[™]

RACE WHEELS

As racing enthusiasts and participants, we are driven to look beyond conventional ideas of industry standards. Engineering, rigorous testing, data collection and proven performance redefines what is possible in the creation of our wheels and accessories. The application of our race knowledge separates us from other wheel companies.

Method Race Wheels is committed to bring you the finest quality products with the most complete line-up of off road race wheels for trucks, buggies, rock crawlers, short course, rally, and UTV's, as well as street wheels for truck, Jeep, and SUV applications. We pride ourselves on providing these products to our customers with fast and friendly service that you can count on.



METHOD
RACE WHEELS

METHOD
RACE WHEELS
LIGHTER. STRONGER. FASTER.








TRAIL

TRAIL SERIES FEATURES




- 1 Patented **Bead Grip® Technology** engages tire bead for increased grip at low air pressures
- 2 Aggressive safety hump on bead seats further prevents de-beading
- Reinforced inner lip taken from MRW race wheel design
- One-piece 356 aluminum construction with T6 heat treatment
- Method logo debossed on outer lip
- Snap-in center cap
- 17" hub centric fitments for common 5 and 6 lug applications
- Strong 2650lb load rating



TIRE BEAD UNSEATING TEST

TEST TIRE: BF GOODRICH K02 - 285/70/17 @ 10PSI




22% MORE
FORCE
REQUIRED

OR

333 LBS OF
ADDITIONAL
FORCE
TO DE-BEAD THE TIRE

TEST TIRE: TOYO RACE TIRE - 39x13.5x17 @ 10PSI



40% MORE
FORCE
REQUIRED

OR

957 LBS OF
ADDITIONAL
FORCE
TO DE-BEAD THE TIRE

TRAIL



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x7	15	4.60"	5	2100
16x8	0	4.50"	6	2650
17x8.5	0	4.75"	5, 6 and 8	2650 / 3640

704

**TITANIUM
MATTE BLACK**

**BEAD
GRIP**
TECHNOLOGY

TRAIL



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6	2650

**BEAD
GRIP**
TECHNOLOGY

BRONZE
MATTE BLACK

702

TRAIL



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15X7	0	4.60"	5 and 6	2100
16X8	0	4.50"	5 and 6	2650
17X7.5	30 / 50	5.50" / 6.20"	5 and 6	3640
17X8.5	0	4.75"	5 and 6 / 8	3640

701

BRONZE
MATTE BLACK

**BEAD
GRIP**
TECHNOLOGY



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES







SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
20x10	-24	4.55"	5 and 6 / 8	2650 / 3640
20x12	-52	4.50"	5 and 6 / 8	2650 / 3640

610

BRONZE
MATTE BLACK



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
20x10	-24	4.55"	5 and 6 / 8	2650 / 3640
20x12	-52	4.50"	5 and 6 / 8	2650 / 3640

**TITANIUM
MATTE BLACK**

606



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
20x9	-12	4.50"	5 and 6 / 8	2650
20x10	-24	4.55"	5 and 6 / 8	2650 / 3640
20x12	-52	4.50"	5 and 6 / 8	2650 / 3640

605

BRONZE
MATTE BLACK



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES





NEW FINISH



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
16x8	0	4.50"	5 and 6	2650
17x8.5	0	4.75"	5 and 6 / 8	2650 / 3640
17x9	-12	4.50"	5 and 6 / 8	2650 / 3640

315

GOLD - NEW
MACHINED
MATTE BLACK

NEW FINISH



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6 / 8	2650
18x9	18	5.75"	5 and 6 / 8	2650 / 3640

**NEW - GLOSS TITANIUM
MATTE BLACK**

314



NEW FINISH



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0 / 25	4.75" / 5.80"	5 and 6	2650

313

GLOSS TITANIUM - NEW
MATTE BLACK



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6 / 8	2650 / 3640
17x9	-12	4.50"	5 and 6	3640
18x9	18	5.75"	5 and 6 / 8	2650 / 3640

312

BRONZE
MATTE BLACK



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6	2650

**TITANIUM
MATTE BLACK**

VEX
311



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0 / 35	4.75" / 6.10"	5 and 6 / 8	2650 / 3640
18x9	18	5.75"	5 and 6	2650
20x9	18	5.75"	5 and 6 / 8	2650 / 3640

CON 6

310

BRONZE
MATTE BLACK



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
16x8	0	4.50"	6	2650
17x8.5	0	4.75"	5 and 6 / 8	3640
18x9	18	5.75"	5 and 6 / 8	2650 / 3640
20x9	18	5.75"	5 and 6 / 8	2650 / 3640

GRID

309

**TITANIUM
MATTE BLACK**



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6	2500
18x9	18	5.75"	5 and 6	2500

ROOST

BRONZE
MATTE BLACK

308



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6 / 8	2500 / 3640

HOLE

307

MATTE BLACK



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6 / 8	2500
18x9	-12 / 18	4.50" / 5.75"	5 and 6 / 8	2500 / 3600
20x9	18	5.75"	5 and 6 / 8	2500 / 3600

MATTE BLACK

MESH

306



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
16x8	0	4.50"	5 and 6 / 8	2500 / 3600
17x8.5	0	4.75"	5 and 6 / 8	2500 / 3600
18x9	-12 / 18	4.50" / 5.75"	5 and 6 / 8	2500 / 3640
20x9	18 / 25	5.75" / 6.00"	5 and 6 / 8	2500 / 3640

NV

305

BRONZE
MACHINED FACE
MATTE BLACK



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	8	4500
18x9	18	5.75"	8	4500

NV - HD

BRONZE
MATTE BLACK

305



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x8	-24	3.50"	5 and 6	2100
15x10	-50	3.50"	5 and 6	2100
16x8	0	4.50"	6 and 8	2100 / 3200
17x8.5	0	4.75"	5 and 6 / 8	2500 / 3640
18x9	18 / 25 / -12	4.50" / 5.75" / 6.00"	5 and 6 / 8	2500 / 3640

DOUBLE STANDARD

304

**MACHINED
MACHINED LIP
MATTE BLACK**



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x7	-6	3.75"	5 and 6	2100
16x7 •	0	4.00"	6 and 8	3600
16x8	0	4.00"	5 and 6 / 8	2100 / 3200
17x7.5 ••	50	6.20"	6	3000
17x8.5	0 / 25	4.75" / 5.75"	5 and 6 / 8	2500 / 3600
17x9	-12	4.50"	5 and 6 / 8	2500 / 3600
18x9	-12 / 18	4.50" / 5.75"	5 and 6 / 8	2500 / 3600
20x9	18	5.75"	5 and 6 / 8	2500 / 3600

THE STANDARD

301

MACHINED
MATTE BLACK

- trailer wheel application
- cargo van application





SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES







SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8	42	6.20"	5	1650
18x8	42	6.20"	5	1650
18x9.5	40	6.90"	5	1650

503 GOLD
MATTE BLACK



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
16x7	15 / 30	4.60" / 5.20"	5	1850
17x8	38	6.10"	5	1850
18x8	38	6.10"	5	1850

502 **BRONZE**
TITANIUM
MATTE BLACK



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x7	15	4.60"	5	2100

VT-SPEC

**BRONZE
MATTE BLACK**

502



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8	42	6.20"	5	1850

501 **BRONZE**
TITANIUM
MATTE BLACK



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x7	48	5.90"	5	1900

VT-SPEC

**BRONZE
MATTE BLACK**

501





SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES







SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
14x7	4+3	4.50"	4	1600
15x7	4+3/5+2	4.50" / 5.50"	4	1600
15x10	6+4	6.40"	4	1600

411

**GLOSS TITANIUM
MATTE BLACK**

**BEAD
GRIP**
TECHNOLOGY



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
14x7	4+3	4.50"	4	1600
15x7	4+3/5+2	5.50"	4	1600
15x10	6+4	6.40"	4	1600



**GOLD
MATTE BLACK**

410

NEW FINISH



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
14x7	4+3/5+2	4.50" / 5.50"	4	1600
15x7	4+3/5+2	4.50" / 5.50"	4	1600
15x8	4+4	4.50"	4	1600
15x10	5+5	4.50"	4	1600

409

STEEL GREY - NEW
MATTE BLACK

**BEAD
GRIP**
TECHNOLOGY



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
14x8	4+4	4.30"	4	1600
14x10	5+5	5.30"	4	1600
15x8	4+4	4.30"	4	1600
15x10	5+5	5.30"	4	1600

BRONZE
MATTE BLACK

406



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
14x7	4+3/5+2	4.30" / 5.30"	4	1600
15x7	4+3/5+2	4.50" / 5.50"	4	1600

405

**BRONZE
MATTE BLACK**



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
14x7	4+3/5+2	4.30" / 5.30"	4	1600
14x8	4+4	5.30"	4	1600
14x10	5+5	5.30"	4	1600
15x6	5+1	5.40	4	1600
15x7	4+3	4.30"	4	1600

**TITANIUM
MACHINED
MATTE BLACK**

401



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x5	5+0	4.90"	4	1600
15x5	2.5+2.5	3.00"	4	1600

401-R

MACHINED



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES







SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x9	-44	3.50"	5 and 6	3600
17x9	-44	3.50"	BLANK	3600

106

**BRONZE
MATTE BLACK**



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x8.5	0	4.75"	5 and 6 / 8	3600
17x9	-38	3.50"	5 and 6	3600
17x9	-38	3.50"	BLANK	3600
20x9	20	5.70"	5 and 6 / 8	3600
20x9	20	5.70"	BLANK	3600
20x9	-12	4.50"	BLANK	3600

**MACHINED
MATTE BLACK**

105



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x9	-12	4.50"	5 and 6	4000
17x9	-12	4.50"	BLANK	4000

103

MACHINED



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x4.5	-25	1.75"	5	1600
15x5.5	-15	2.80"	5	1600
15x7	-25 / -45	3.00" / 2.25"	5	2100
16x4.5	-25	1.75"	5	1600
17x6.5	-25 / -38	3.00" / 2.25"	5	3100
17x8	-50	2.50"	5	3000

BUGGY BEADLOCK

MACHINED **101**



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
15x8	-24	3.50"	BLANK	2400
16x8	44	6.25"	BLANK	1900
17x9	-12	4.50"	5 and 6 / 8	3400
17x9	-12	4.50"	BLANK	3400

101

MACHINED



SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES







SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x9	-12 / 25	4.50" / 6.00"	5 and 6	4000
17x9	-12 / 25	4.50" / 6.00"	BLANK	4000

FORGED BEADLOCK

202 **MACHINED**



SIZE	OFFSET (mm)	BACKSPACE	LUGS	LOAD RATING (lbs)
17x9	-12 / 25	4.50" / 6.00"	5 and 6	4000
17x9	25	6.00"	BLANK	4000

FORGED BEADLOCK

MACHINED **201**





SEARCH [#METHODRACEWHEELS](#) FOR MORE IMAGES



METHOD
RACE WHEELS
LIGHTER. STRONGER. FASTER.

866.779.8604
#METHODRACEWHEELS
METHODRACEWHEELS.COM
INFO@METHODRACEWHEELS.COM

Custom Wheel House